

**INO-CNR: Sede Secondaria di Brescia**

**c/o CSMT via Branze, 45 - 25123 Brescia Tel.: +39 030 6595246 Fax: +39 0306595247 -**

**PROPOSTA di AGGIUDICAZIONE di BENI**

Alla Responsabile del CNR-INO - Sede Secondaria di Brescia

Il Responsabile Unico del Progetto: Nodari Rosita

Vista la Decisione di contrarre: Protocollo CNR\_INO num.347723 del 15/11/2023

Ritenuto di acquisire la fornitura mediante Acquisto fuori MEPA e con modalità: Affidamento Diretto secondo quanto previsto dall'art. 50 comma 1 lettera b) del D. Lgs n. 36 del 31 marzo 2023.

E' stato pubblicato un avviso di indagine di mercato, con richiesta di offerta/preventivo, sull'apposita pagina del sito Istituzionale URP del CNR - Gare e Appalti, con Protocollo CNR-INO num.348080 del 15/11/2023, per l'individuazione dell'operatore economico da selezionare per l'affidamento dei Beni oggetto della Determina a Contrarre;

Viste le offerte presentate entro il termine del 30/11/2023 alle 13:00 da parte di uno solo operatore economico, come di seguito specificato:

Denominazione e/o Ragione Sociale	Codice Fiscale	Data dell'Offerta	Totale Offerta	Valuta	File Preventivo/Offerta Firmato
db Electronic Instruments srl	02302390154	17/11/2023	14.844,06	EUR	ID6043UrpOff_dbElectronicInstrum_.pdf

- è stato valutato quanto pervenuto ed è stato riscontrato che:

Unica offerta pervenuta ritenuta adeguata e in linea col mercato e rispondente all'esigenza d'acquisto. Il rivenditore risulta affidabile e presente nell'albo fornitori del CNR-INO.

quindi si propone di aggiudicare la fornitura a db Electronic Instruments srl per la seguente motivazione:

Necessità di procedere speditamente all'acquisto di componenti ottiche; Il prezzo è ritenuto congruo e il fornitore è presente nell'albo dei fornitori INO.

CONSIDERATO che l'operatore economico è in possesso di pregresse e documentate esperienze analoghe, anche se non coincidenti, idonee all'esecuzione delle prestazioni contrattuali.

Non si applica il principio di rotazione in quanto il presente affidamento avviene tramite procedura aperta al mercato mediante indagine di mercato pubblicata su URP CNR e non si è operato alcuna limitazione in ordine al numero di operatori economici tra i quali effettuare la selezione di cui all'art. 49 del D.Lgs. 36/2023.

Propone l'aggiudicazione della fornitura dei Beni alla ditta db Electronic Instruments srl per un importo complessivo di 14.844,06 EUR esclusa IVA; l'offerta è ritenuta congrua e proficua, in rapporto alla qualità della prestazione, e rispetta gli attuali parametri di mercato.

Che non venga richiesta alla ditta aggiudicataria il rilascio della garanzia definitiva di cui all'art. 117 del D. Lgs. 36/2023 in quanto l'ammontare garantito sarebbe di importo così esiguo da non costituire reale garanzia per la stazione appaltante, determinando esclusivamente un appesantimento del procedimento, come previsto dall'art. 53 c. 4 del D. Lgs. 36/2023.

Quindi chiede di procedere per addivenire all'acquisto dei seguenti beni:

Descrizione	Quantità	Valuta	Prezzo Unitario	Prezzo Totale
LA1708 - N-BK7 Plano-Convex Lens, Ø1", f = 200 mm, Uncoated	3	EUR	19,7400	59,22
KM100T - SM1-Threaded Kinematic Mount for Thin Ø1" Optics	3	EUR	67,25	201,75
LA1908-C - N-BK7 Plano-Convex Lens, Ø1", f = 500 mm, AR Coating: 1050 - 1700 nm	1	EUR	33,13	33,13
PH20E/M - Ø12.7 mm Pedestal Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=25 mm	3	EUR	23,61	70,83
PH75E/M - Ø12.7 mm Pedestal Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=79.7 mm	5	EUR	25,15	125,75
PH50E/M - Ø12.7 mm Pedestal Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=54.7 mm	10	EUR	24,65	246,50
PH50/M-P5 - Ø12.7 mm Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=50 mm, 5 Pack	2	EUR	37,63	75,26
PH40/M-P5 - Ø12.7 mm Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=40 mm, 5 Pack	3	EUR	35,29	105,87
PH75/M-P5 - Ø12.7 mm Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=75 mm, 5 Pack	2	EUR	40,4100	80,82
PH30/M-P5 - Ø12.7 mm Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=30 mm, 5 Pack	3	EUR	34,36	103,08
ST1XY-S/M - XY Translator with Micrometer Drives, Metric	1	EUR	379,95	379,95
BSW12R - 25 mm x 36 mm 50:50 UVFS Plate Beamsplitter, Coating: 1.2 - 1.6 &#956;m, t = 1 mm	1	EUR	116,04	116,04
BS015 - 50:50 Non-Polarizing Beamsplitter Cube, 1100 - 1600 nm, 1"	1	EUR	216,68	216,68
CCM1-4ER/M - Compact Clamping 4-Port Prism/Mirror 30 mm Cage Cube, M4 Tap	2	EUR	134,53	269,06
BS013 - 50:50 Non-Polarizing Beamsplitter Cube, 400 - 700 nm, 1"	1	EUR	213,60	213,60
FB1200-10 - Ø1" Soft-Coated Bandpass Filter, CWL = 1200 ± 2 nm, FWHM = 10 ± 2 nm	1	EUR	143,50	143,50
FELH0550 - Ø25.0 mm Longpass Filter, Cut-On Wavelength: 550 nm	2	EUR	118,67	237,34
UPHA-P5 - Swivel Base Adapter, 5 Pack	1	EUR	102,17	102,17
TR30/M-P5 - Ø12.7 mm Optical Post, SS, M4 Setscrew, M6 Tap, L = 30 mm, 5 Pack	3	EUR	21,36	64,08
RA90/M - Right-Angle Clamp for Ø1/2" Posts, 5 mm Hex	2	EUR	9,5400	19,08

ID12SS/M - Mounted Stainless Steel Iris, Ø12.0 mm Max Aperture, TR75/M Post	2	EUR	53,92	107,84
ID25SS/M - Mounted Stainless Steel Iris, Ø25.0 mm Max Aperture, TR75/M Post	2	EUR	61,46	122,92
IDA25/M-P5 - Post-Mountable Standard Iris, Ø25.0 mm Max Aperture, M4 Threaded Stud, Pack of 5	1	EUR	272,7800	272,78
R2/M-P5 - Slip-On Post Collar for Ø1/2" Posts, M6 Thumbscrew, 5 Pack	2	EUR	25,05	50,10
AHWP05M-340 - Ø1/2" Mounted Achromatic Half-Wave Plate, Ø1" Mount, 260 - 410 nm	1	EUR	995,05	995,05
LMR1/M-P5 - Lens Mount with Retaining Ring for Ø1" Optics, M4 Tap, 5 Pack	2	EUR	68,94	137,88
LMR1S/M - Ø1" Lens Mount with Internal and External SM1 Threads, M4 Tap	2	EUR	27,05	54,10
KS1 - Ø1" Precision Kinematic Mirror Mount, 3 Adjusters	4	EUR	87,79	351,16
KS1T - SM1-Threaded Precision Kinematic Mirror Mount for Ø1" Optics, 3 Adjusters	2	EUR	110,89	221,78
FESH0450 - Ø25.0 mm Shortpass Filter, Cut-Off Wavelength: 450 nm	1	EUR	118,09	118,09
FESH0500 - Ø25.0 mm Shortpass Filter, Cut-Off Wavelength: 500 nm	1	EUR	118,09	118,09
FESH0550 - Ø25.0 mm Shortpass Filter, Cut-Off Wavelength: 550 nm	1	EUR	118,10	118,10
FESH0600 - Ø25.0 mm Shortpass Filter, Cut-Off Wavelength: 600 nm	1	EUR	118,10	118,10
FESH0650 - Ø25.0 mm Shortpass Filter, Cut-Off Wavelength: 650 nm	1	EUR	118,10	118,10
FESH0700 - Ø25.0 mm Shortpass Filter, Cut-Off Wavelength: 700 nm	1	EUR	118,10	118,10
FESH0750 - Ø25.0 mm Shortpass Filter, Cut-Off Wavelength: 750 nm	1	EUR	118,10	118,10
FESH0800 - Ø25.0 mm Shortpass Filter, Cut-Off Wavelength: 800 nm	1	EUR	118,10	118,10
FESH0900 - Ø25.0 mm Shortpass Filter, Cut-Off Wavelength: 900 nm	1	EUR	118,10	118,10
FESH1000 - Ø25.0 mm Shortpass Filter, Cut-Off Wavelength: 1000 nm	1	EUR	118,10	118,10
FELH0500 - Ø25.0 mm Longpass Filter, Cut-On Wavelength: 500 nm	1	EUR	118,66	118,66
FELH0600 - Ø25.0 mm Longpass Filter, Cut-On Wavelength: 600 nm	1	EUR	118,66	118,66
FELH0650 - Ø25.0 mm Longpass Filter, Cut-On Wavelength: 650 nm	1	EUR	118,66	118,66
FELH0700 - Ø25.0 mm Longpass Filter, Cut-On Wavelength: 700 nm	1	EUR	118,66	118,66
FELH0750 - Ø25.0 mm Longpass Filter, Cut-On Wavelength: 750 nm	1	EUR	118,66	118,66
FELH0800 - Ø25.0 mm Longpass Filter, Cut-On Wavelength: 800 nm	1	EUR	118,66	118,66
FELH0850 - Ø25.0 mm Longpass Filter, Cut-On Wavelength: 850 nm	1	EUR	118,66	118,66
FELH0900 - Ø25.0 mm Longpass Filter, Cut-On Wavelength: 900 nm	1	EUR	118,67	118,67
FELH0950 - Ø25.0 mm Longpass Filter, Cut-On Wavelength: 950 nm	1	EUR	118,67	118,67
MC10-S - Small Powder-Free Nitrile Gloves, Qty. 100 Gloves, Teal	1	EUR	22,91	22,91
MC10-M - Medium Powder-Free Nitrile Gloves, Qty. 100 Gloves, Teal	5	EUR	22,91	114,55
MC10-M - Large Powder-Free Nitrile Gloves, Qty. 100 Gloves, Teal	1	EUR	22,91	22,91
VRC2 - VIS/IR Detector Card, 400 - 640 nm, 800 - 1700 nm	1	EUR	82,93	82,93
VRC4 - IR Detector Card, 790 - 840 nm, 870 - 1070 nm, 1500 - 1590 nm	1	EUR	82,93	82,93
ST16 - 16 - Drawer Cabinet	1	EUR	250,42	250,42
PF10-03-P01-10 - Ø1" Protected Silver Mirror, 10 Pack	2	EUR	428,59	857,18
KCB1C/M - Right-Angle Kinematic Mirror Mount with Smooth Cage Rod Bores, 30 mm Cage System and SM1 Compatible, M4 and M6 Mounting Holes	1	EUR	136,36	136,36
SM2V10 - Ø2" Adjustable Lens Tube, 0.81" Travel	1	EUR	50,83	50,83
SM2RC/M - Slip Ring for SM2 Lens Tubes, M4 Tap	2	EUR	30,29	60,58
SM2A31 - Adapter with External C-Mount Threads and Internal SM2 Threads, 4.9 mm Spacer	1	EUR	26,18	26,18
SM2M35 - SM2 Lens Tube Without External Threads, 3.5" Thread Depth, Two Retaining Rings Included	2	EUR	34,92	69,84
RS3P/M - Ø25.0 mm Pedestal Pillar Post, M6 Taps, L = 75 mm	4	EUR	30,04	120,16
RS5/M - Ø25.0 mm Post Spacer, M6 Tap, L = 5 mm	5	EUR	10,15	50,75
RS5M - Ø25.0 mm Post Spacer, Thickness = 5 mm	5	EUR	7,75	38,75
RS4P/M - Ø25.0 mm Pedestal Pillar Post, M6 Taps, L = 100 mm	6	EUR	35,70	214,200
KMSS/M - Compact Kinematic Mirror Mount, Hex Adjuster, M4 Taps for Post Mounting	5	EUR	35,94	179,70
KMS/M - Compact Kinematic Mirror Mount, M4 Taps for Post Mounting	5	EUR	37,99	189,950
MH25 - Mirror Holder for Ø1" Optics 2.5 - 6.1 mm Thick	10	EUR	15,84	158,40
RS2.5P/M - Ø25.0 mm Pedestal Pillar Post, M6 Taps, L = 65 mm	6	EUR	29,01	174,06
RS6M - Ø25.0 mm Post Spacer, Thickness = 6 mm	5	EUR	8,01	40,05
CF125C/M-P5 - Clamping Fork, 31.5 mm Counterbored Slot, M6 x 1.0 Captive Screw, 5 Pack	5	EUR	52,81	264,05
RS1M - Ø25.0 mm Post Spacer, Thickness = 1 mm	5	EUR	6,63	33,15
RS2M - Ø25.0 mm Post Spacer, Thickness = 2 mm	5	EUR	6,87	34,35
RS3M - Ø25.0 mm Post Spacer, Thickness = 3 mm	5	EUR	7,51	37,55
TPS13 - 12" x 6" (305 mm x 152 mm) Straight Laser Safety Screen	2	EUR	57,76	115,52
TPS4 - 8" x 6" (203 mm x 152 mm) Straight Laser Safety Screen	2	EUR	40,57	81,14
XE25L225/M - 25 mm Square Construction Rail, 225 mm Long, M6 Taps	5	EUR	15,40	77,00
M36L01 - Ø200 &#956;m, 0.22 NA, Low OH, FC/PC to SMA905 Fiber Patch Cable, 1 m	1	EUR	95,18	95,18
M94L02 - Ø105 &#956;m, 0.100 NA, Low OH, FC/PC-FC/PC Fiber Patch Cable, 2 m	1	EUR	110,42	110,42
KM200 - Kinematic Mirror Mount for Ø2" Optics	2	EUR	77,79	155,58
LMR2/M - Lens Mount with Retaining Ring for Ø2" Optics, M4 Tap	2	EUR	25,93	51,86
TB4 - Black Hardboard, 24" x 24" (610 mm x 610 mm), 3/16" (4.76 mm) Thick, 3 Sheets	1	EUR	65,73	65,73
P200/M - Ø1.5" Mounting Post, M6 Taps, L = 200 mm	1	EUR	57,88	57,88
PB2/M - Metric Mounting Post Base, Ø61 mm x 12.7 mm Thick	1	EUR	28,25	28,25
BE1/M-P5 - Ø31.8 mm Studded Pedestal Base Adapter, M6 Thread, 5 Pack	4	EUR	46,57	186,28
SM1A3TS - Thermally Insulating Adapter with External SM1 Threads and Internal RMS Threads	2	EUR	22,41	44,82
AHWP10M-580 - Ø1" Mounted Achromatic Half-Wave Plate, SM1-Threaded Mount, 350 - 850 nm	1	EUR	915,63	915,63

PF20-03-P01 - Ø2" Protected Silver Mirror	4	EUR	101,15	404,60
CM508-200-P01 - Ø2" Silver-Coated Concave Mirror, f = 200.0 mm	1	EUR	111,09	111,09
CL8 - Ø1" and Ø1.5" Pedestal Post Table Clamp	10	EUR	8,110	81,10
SPW604 - Spanner Wrench for SM2-Threaded Retaining Rings, Length = 4.35"	1	EUR	44,81	44,81
DT12/M - 12.7 mm Dovetail Translation Stage, M4 Taps	2	EUR	79,84	159,68
OT1 - Objective Lens Turret, 4 RMS-Threaded Objective Ports	1	EUR	323,48	323,48
DFM1B/M - Kinematic 30 mm Cage Cube Base, DFM1 Series, M6 Tapped Holes	1	EUR	151,02	151,02
RC08FC-P01 - Protected Silver Reflective Collimator, 450 nm - 20 &#956;m, RFL = 33 mm, FC/PC	1	EUR	566,84	566,84
SM1A6 - Adapter with External SM1 Threads and Internal SM05 Threads, 0.15" Long	2	EUR	19,72	39,44
SM1D25 - SM1 Lever-Actuated Iris Diaphragm (Ø1.4 - Ø25.0 mm)	1	EUR	90,88	90,88
SM1V05 - Ø1" Adjustable Lens Tube, 0.31" Travel Range	1	EUR	28,85	28,85
SM1T3 - SM1 (1.035"-40) Coupler, External Threads, 0.25" Long	1	EUR	18,98	18,98
spese di trasporto	1	EUR	99,00	99,00
<b>Imponibile (no IVA) in EUR</b>				<b>14.844,06</b>

CIG: **ZEA3D48AF3** CUP: **B85F21001010005**

Brescia, 04 dicembre 2023

*Il Responsabile Unico del Progetto*